



: TE35-GEL
 : 244 191 276
 : VRLA GEL
 : () ()
 :




<http://energywind.ru/katalog/gel-akkumulyatory>

BCI	B				100	8	D			
	5	20	100	100						
6V DEEP CYCLE GEL										
DIN	TE35-GEL	180	210	220	1,32	8	244	190	276	31

B. $\frac{1.75}{27^\circ\text{C}}$ / $\frac{1.75}{27^\circ\text{C} - 20}$ / $\frac{1.75}{30^\circ\text{C} - 5}$ / $\frac{1.75}{27^\circ\text{C}}$
 C. $\frac{1.75}{27^\circ\text{C}}$
 D. $\frac{1.75}{12.7}$

=25°C				
	12V	24V	36V	48V
	14.1 – 14.4	28.2 – 28.8	42.3 – 43.2	56.4 – 57.6
	13.5	27	40,5	54




0.028 / $\frac{5.55^\circ\text{C}}{25^\circ\text{C}}$ / $\frac{0.028}{25^\circ\text{C} - 10^\circ\text{C}}$ / $\frac{0.028}{25^\circ\text{C}}$ / $\frac{5.55^\circ\text{C}}{25^\circ\text{C}}$

-20°C...+45°C.	0° >60%	<3%
----------------	------------	-----

<http://energywind.ru>

(AP),



TROJAN TE35-GEL

